Author Index

Aharonovitz, O., see Livne, A.A. (1135) 13 Alcántara-Hernández, R., see García-Sáinz, J.A. (1135) 221 Annabi, B., see García-Sáinz, J.A. (1135) 221 Antoni, F., see Kalapos, M.P. (1135) 159 Arents, J.C., see Schulkes, C.C.G.M. (1135) 73 Attwood, P.V., see Rossi, E. (1135) 262

Baker, E., see St. Pierre, T.G. (1135) 154 Belfrage, P., see Langin, D. (1135) 349 Berenson, G.S., see Vijayagopal, P. (1135) 129

The unpolymerized form of tubulin is the target for microtubule inhibition by photoactivated tetra(4-sulfonatophenyl)porphine (1135) 147

Bezrukov, V.M., see Krasil'nikov, M.A. (1135) 91

Blazsek, J., see Lee, S.-W. (1135) 115

Bondon, A., Tiffoche, C., Simonneaux, G., Le Pennec, J.-P. and Jego, P.

A possible calcium binding site in animal lectins: a ¹H-NMR study of the interaction between lanthanides and a synthetic peptide from a highly conserved domain of *Pleurodeles* lectin (1135) 19

Borchardt, R.T., see Hu, M. (1135) 233
Borchert, M., see Ziegler, I. (1135) 330
Boyle, P.H., see Ziegler, I. (1135) 330
Brindle, K.M., see Murphy, E.J. (1135) 27
Brown, B.L., see Rahman, S. (1135) 97
Brown, C.D.A., see McEwan, G.T.A. (1135) 180
Brown, J., see McCormick, K.L. (1135) 1
Brunko, E., see Delporte, C. (1135) 3.
Bunning, R.A.D., see Rahman, S. (113., 97
Burbaev, D.S., see Vanin, A.F. (1135) 275

Campbell, D., see Sanghera, J.S. (1135) 335 Cerù, M.P., see Piacentini, M. (1135) 171 Chapman, K., see Rahman, S. (1135) 97 Chiba, T., see Yoshida, L.S. (1135) 245 Christophe, J., see Delporte, C. (1135) 323 Ciolino, H.P., see Vijayagopal, P. (1135) 129 Curtis, A.J., Ng, C.K., Handley, C.J. and Robinson, H.C.

Effect of insulin-like growth factor-I on the synthesis and distribution of link protein and hyaluronan in explant cultures of articular cartilage (1135) 309

Davies, P.J.A., see Piacentini, M. (1135) 171 Davis, A.P., see Ziegler, I. (1135) 330

Delporte, C., Winand, J., Poloczek, P., Brunko, E., Tastenoy, M., Waelbroeck, M. and Christophe, J.

Inhibitory effects of ATP and other nucleotides on atrial natriuretic peptide (ANP) binding to R1-type ANP receptors in human neuroblastoma NB-OK-1 cell membranes (1135) 323

Dias, J.A.

Recent progress in structure-function and molecular analyses of the pituitary/placental glycoprotein hormone receptors (1135) 287

Dini, L., see Piacentini, M. (1135) 171 Dionne, C.A., see Jaye, M. (1135) 185 Di Rao, M., see Piacentini, M. (1135) 171 Dixon, R.M., see Murphy, E.J. (1135) 27 Dobson, P.R.M., see Rahman, S. (1135) 97 Dostmann, W., see Hofmann, F. (1135) 51 Durkó, I., Joó, I. and Juhász, A.

Effects of melatonin and light on porphyrin synthesis in the bovine retina, pigment epithelium and choroid (1135) 111

Dutta-Roy, A.K., see Rae, M.G. (1135) 343

Ekholm, D., see Langin, D. (1135) 349 Elford, B.C., see Kirk, K. (1135) 8 Ellory, J.C., see Kirk, K. (1135) 8 Engström, K.G. and Ohlsson, L.

Acute and long-term biphasic volume alterations in rat type-II somatotrophs during GH secretory stimulation (1135) 318

Evan, G., see Lee, S.-W. (1135) 115 Evans, D.B., see Rahman, S. (1135) 97

Fan, T.W.-M., Higashi, R.M. and Lane, A.N.

Temperature dependence of arginine kinase reaction

Temperature dependence of arginine kinase reaction in the tail muscle of live *Sycionia ingentis* as measured in vivo by ³¹P-NMR driven saturation transfer (1135) 44

Fatania, H.R., see Stace, P.B. (1135) 201 Fesus, L., see Piacentini, M. (1135) 171

Fine, A., Matsui, R., Zhan, X., Poliks, C.F., Smith, B.D. and Goldstein, R.H.

Discordant regulation of human type I collagen genes by prostaglandin $\rm E_2$ (1135) 67

Fitz, J.S., see Harnadek, G.J. (1135) 280

García-Sáinz, J.A., Alcántara-Hernández, R., Robles-Flores, M., Torres-Márquez, M.E., Massillon, D., Annabi, B. and Van de Werve, G.

Modulation by protein kinase C of the hormonal responsiveness of hepatocytes from lean (Fa/fa?) and obese (fa/fa) Zucker rats (1135) 221

Garcia-Webb, P., see Rossi, E. (1135) 262 Garzó, T., see Kalapos, M.P. (1135) 159 Goldstein, R.H., see Fine, A. (1135) 67

Hall, F.L., see Sanghera, J.S. (1135) 335 Handley, C.J., see Curtis, A.J. (1135) 309

Harnadek, G.J., Ries, E.A., Tse, D.G., Fitz, J.S. and Njus, D. Electron transfer in chromaffin-vesicle ghosts containing peroxi-

dase (1135) 280 Hasegawa, Y., see Nakamura, T. (1135) 103

Hashimoto, Y., see Muroya, K. (1135) 353
Hatayama, T., Tsujioka, K., Wakatsuki, T., Kitamura, T. and Imahara, H.

Effects of culture temperature on the expression of heat-shock proteins in murine ts85 cells (1135) 253

Hattori, S., see Muroya, K. (1135) 353 Heaney, F., see Ziegler, I. (1135) 330 Higashi, R.M., see Fan, T.W.-M. (1135) 44 Hingre, K., see McCormick, K.L. (1135) 1 Hirst, B.H., see McEwan, G.T.A. (1135) 180

Author Index

Aharonovitz, O., see Livne, A.A. (1135) 13 Alcántara-Hernández, R., see García-Sáinz, J.A. (1135) 221 Annabi, B., see García-Sáinz, J.A. (1135) 221 Antoni, F., see Kalapos, M.P. (1135) 159 Arents, J.C., see Schulkes, C.C.G.M. (1135) 73 Attwood, P.V., see Rossi, E. (1135) 262

Baker, E., see St. Pierre, T.G. (1135) 154 Belfrage, P., see Langin, D. (1135) 349 Berenson, G.S., see Vijayagopal, P. (1135) 129

The unpolymerized form of tubulin is the target for microtubule inhibition by photoactivated tetra(4-sulfonatophenyl)porphine (1135) 147

Bezrukov, V.M., see Krasil'nikov, M.A. (1135) 91

Blazsek, J., see Lee, S.-W. (1135) 115

Bondon, A., Tiffoche, C., Simonneaux, G., Le Pennec, J.-P. and Jego, P.

A possible calcium binding site in animal lectins: a ¹H-NMR study of the interaction between lanthanides and a synthetic peptide from a highly conserved domain of *Pleurodeles* lectin (1135) 19

Borchardt, R.T., see Hu, M. (1135) 233
Borchert, M., see Ziegler, I. (1135) 330
Boyle, P.H., see Ziegler, I. (1135) 330
Brindle, K.M., see Murphy, E.J. (1135) 27
Brown, B.L., see Rahman, S. (1135) 97
Brown, C.D.A., see McEwan, G.T.A. (1135) 180
Brown, J., see McCormick, K.L. (1135) 1
Brunko, E., see Delporte, C. (1135) 3.
Bunning, R.A.D., see Rahman, S. (113., 97
Burbaev, D.S., see Vanin, A.F. (1135) 275

Campbell, D., see Sanghera, J.S. (1135) 335 Cerù, M.P., see Piacentini, M. (1135) 171 Chapman, K., see Rahman, S. (1135) 97 Chiba, T., see Yoshida, L.S. (1135) 245 Christophe, J., see Delporte, C. (1135) 323 Ciolino, H.P., see Vijayagopal, P. (1135) 129 Curtis, A.J., Ng, C.K., Handley, C.J. and Robinson, H.C.

Effect of insulin-like growth factor-I on the synthesis and distribution of link protein and hyaluronan in explant cultures of articular cartilage (1135) 309

Davies, P.J.A., see Piacentini, M. (1135) 171 Davis, A.P., see Ziegler, I. (1135) 330

Delporte, C., Winand, J., Poloczek, P., Brunko, E., Tastenoy, M., Waelbroeck, M. and Christophe, J.

Inhibitory effects of ATP and other nucleotides on atrial natriuretic peptide (ANP) binding to R1-type ANP receptors in human neuroblastoma NB-OK-1 cell membranes (1135) 323

Dias, J.A.

Recent progress in structure-function and molecular analyses of the pituitary/placental glycoprotein hormone receptors (1135) 287

Dini, L., see Piacentini, M. (1135) 171 Dionne, C.A., see Jaye, M. (1135) 185 Di Rao, M., see Piacentini, M. (1135) 171 Dixon, R.M., see Murphy, E.J. (1135) 27 Dobson, P.R.M., see Rahman, S. (1135) 97 Dostmann, W., see Hofmann, F. (1135) 51 Durkó, I., Joó, I. and Juhász, A.

Effects of melatonin and light on porphyrin synthesis in the bovine retina, pigment epithelium and choroid (1135) 111

Dutta-Roy, A.K., see Rae, M.G. (1135) 343

Ekholm, D., see Langin, D. (1135) 349 Elford, B.C., see Kirk, K. (1135) 8 Ellory, J.C., see Kirk, K. (1135) 8 Engström, K.G. and Ohlsson, L.

Acute and long-term biphasic volume alterations in rat type-II somatotrophs during GH secretory stimulation (1135) 318

Evan, G., see Lee, S.-W. (1135) 115 Evans, D.B., see Rahman, S. (1135) 97

Fan, T.W.-M., Higashi, R.M. and Lane, A.N.

Temperature dependence of arginine kinase reaction

Temperature dependence of arginine kinase reaction in the tail muscle of live *Sycionia ingentis* as measured in vivo by ³¹P-NMR driven saturation transfer (1135) 44

Fatania, H.R., see Stace, P.B. (1135) 201 Fesus, L., see Piacentini, M. (1135) 171

Fine, A., Matsui, R., Zhan, X., Poliks, C.F., Smith, B.D. and Goldstein, R.H.

Discordant regulation of human type I collagen genes by prostaglandin $\rm E_2$ (1135) 67

Fitz, J.S., see Harnadek, G.J. (1135) 280

García-Sáinz, J.A., Alcántara-Hernández, R., Robles-Flores, M., Torres-Márquez, M.E., Massillon, D., Annabi, B. and Van de Werve, G.

Modulation by protein kinase C of the hormonal responsiveness of hepatocytes from lean (Fa/fa?) and obese (fa/fa) Zucker rats (1135) 221

Garcia-Webb, P., see Rossi, E. (1135) 262 Garzó, T., see Kalapos, M.P. (1135) 159 Goldstein, R.H., see Fine, A. (1135) 67

Hall, F.L., see Sanghera, J.S. (1135) 335 Handley, C.J., see Curtis, A.J. (1135) 309

Harnadek, G.J., Ries, E.A., Tse, D.G., Fitz, J.S. and Njus, D. Electron transfer in chromaffin-vesicle ghosts containing peroxi-

dase (1135) 280 Hasegawa, Y., see Nakamura, T. (1135) 103

Hashimoto, Y., see Muroya, K. (1135) 353
Hatayama, T., Tsujioka, K., Wakatsuki, T., Kitamura, T. and Imahara, H.

Effects of culture temperature on the expression of heat-shock proteins in murine ts85 cells (1135) 253

Hattori, S., see Muroya, K. (1135) 353 Heaney, F., see Ziegler, I. (1135) 330 Higashi, R.M., see Fan, T.W.-M. (1135) 44 Hingre, K., see McCormick, K.L. (1135) 1 Hirst, B.H., see McEwan, G.T.A. (1135) 180 Hofmann, F., Dostmann, W., Keilbach, A., Landgraf, W. and Ruth,

Structure and physiological role of cGMP-dependent protein kinase (1135) 51

Hu. M. and Borchardt, R.T.

Transport of a large neutral amino acid in a human intestinal epithelial cell line (Caco-2): uptake and efflux of phenylalanine

Humphreys-Beher, M.G., see Lee, S.-W. (1135) 115

Imahara, H., see Hatayama, T. (1135) 253 Imanaka, T., see Watanabe, T. (1135) 84 Itoga, H., see Watanabe, T. (1135) 84

Jackson, A., see Stace, P.B. (1135) 201

Jackson, S.K., James, P.E., Rowlands, C.C. and Mile, B. Binding of endotoxin to macrophages; interactions of spin-labelled saccharide residues (1135) 165

James, P.E., see Jackson, S.K. (1135) 165 Jave, M., Schlessinger, J. and Dionne, C.A.

Fibroblast growth factor receptor tyrosine kinases: molecular analysis and signal transduction (1135) 185

Jego, P., see Bondon, A. (1135) 19 Jolly, Y.C., see Konrad, R.J. (1135) 215 Jones, T.H., see Rahman, S. (1135) 97 Joó, I., see Durkó, I. (1135) 111 Juhász, A., see Durkó, I. (1135) 111

Kakinuma, K., see Yoshida, L.S. (1135) 245

Kalapos, M.P., Garzó, T., Antoni, F. and Mandl, J. Accumulation of S-D-lactoylglutathione and transient decrease of glutathione level caused by methylglyoxal load in isolated hepato-

cytes (1135) 159 Keilbach, A., see Hofmann, F. (1135) 51 Kerbey, A.L., see Stace, P.B. (1135) 201 Kirk, K., Elford, B.C. and Ellory, J.C.

The increased K+ leak of malaria-infected erythrocytes is not via a Ca2+-activated K+ channel (1135) 8

Kitamura, T., see Hatayama, T. (1135) 253

Kogawa, K., see Nakamura, T. (1135) 103

Konrad, R.J., Jolly, Y.C., Major, C. and Wolf, B.A.

Inhibition of phospholipase A2 and insulin secretion in pancreatic islets (1135) 215

Krasil'nikov, M.A., Bezrukov, V.M. and Shatskaya, V.A. Glucocorticoid regulation of phospholipid turnover and protein kinase C activity in mouse hepatoma 22 cells (1135) 91

Kurashige, T., see Tomoda, T. (1135) 79 Kurochkin, I.N., see Sukhomlin, T.K. (1135) 226

Lafontan, M., see Langin, D. (1135) 349 Landgraf, W., see Hofmann, F. (1135) 51 Lane, A.N., see Fan, T.W.-M. (1135) 44

Langin, D., Ekholm, D., Ridderstråle, M., Lafontan, M. and Belfrage, P.

cAMP-dependent protein kinase activation mediated by β_3 adrenergic receptors parallels lipolysis in rat adipocytes (1135)

Lee, S.-W., Purushotham, K.R., Littlewood, T., Evan, G., Zelles, T., Blazsek, J., Nakagawa, Y. and Humphreys-Beher, M.G. Down-regulation of cellular proto-oncogenes during inhibition of rat parotid acinar cell proliferation (1135) 115

Le Pennec, J.-P., see Bondon, A. (1135) 19 Littlewood, T., see Lee, S.-W. (1135) 115

Livne, A.A. and Aharonovitz, O.

Ligand-affected shift of Na+/H+ exchange pH; set point in human blood platelets, rapidly revealed by a novel approach (1135) 13

Major, C., see Konrad, R.J. (1135) 215 Mandl, J., see Kalapos, M.P. (1135) 159

Mas. A. and Sarkar, B.

Uptake of ⁶⁷Cu by isolated human trophoblast cells (1135) 123

Massillon, D., see García-Sáinz, J.A. (1135) 221

Matsui, R., see Fine, A. (1135) 67

McCormick, K.L., Hingre, K., Brown, J. and Mick, G.J.

Activation of in situ glycolytic flux by bisphosphorylated compounds: studies in porous rat adipocytes (1135) 1

McEwan, G.T.A., Brown, C.D.A., Hirst, B.H. and Simmons, N.L. Hypo-osmolar stimulation of transepithelial Cl - secretion in cultured human To intestinal epithelial layers (1135) 180

Melikhova, E.M., see Sukhomlin, T.K. (1135) 226

Men'shikov, G.B., see Vanin, A.F. (1135) 275

Mick, G.J., see McCormick, K.L. (1135) 1

Mile, B., see Jackson, S.K. (1135) 165

Moghimi, S.M. and Patel, H.M.

Opsonophagocytosis of liposomes by peritoneal macrophages and bone marrow reticuloendothelial cells (1135) 269

Mordvintcev, P.I., see Vanin, A.F. (1135) 275

Morgan, E.H., see Qian, Z.M. (1135) 35 Moroz, I.A., see Vanin, A.F. (1135) 275

Müller, S., see Nigam, S. (1135) 301

Murova, K., Hashimoto, Y., Hattori, S. and Nakamura, S. Specific inhibition of NGF receptor tyrosine kinase activity by K-252a (1135) 353

Murphy, E.J., Brindle, K.M., Rorison, C.J., Dixon, R.M., Rajagopalan, B. and Radda, G.K. Changes in phosphatidylethanolamine metabolism in regenerat-

ing rat liver as measured by ³¹P-NMR (1135) 27

Nakagawa, Y., see Lee, S.-W. (1135) 115

Nakamura, S., see Muroya, K. (1135) 353

Nakamura, T., Hasegawa, Y., Sugino, K., Kogawa, K., Titani, K. and Sugino, H.

Follistatin inhibits activin-induced differentiation of rat follicular granulosa cells in vitro (1135) 103

Nakamura, T., see Osada, S. (1135) 229

Ng, C.K., see Curtis, A.J. (1135) 309

Nigam, S., Müller, S. and Walzog, B.

Effect of staurosporine on fMet-Leu-Phe-stimulated human neutrophils: dissociated release of inositol 1,4,5-trisphosphate, diacylglycerol and intracellular calcium (1135) 301

Njus, D., see Harnadek, G.J. (1135) 280

Nozawa, Y., see Osada, S. (1135) 229

Ohlsson, L., see Engström, K.G. (1135) 318 Okawa, S., see Watanabe, T. (1135) 84

Osada, S., Saji, S., Nakamura, T. and Nozawa, Y.

Cytosolic calcium oscillations induced by hepatocyte growth factor (HGF) in single fura-2-loaded cultured hepatocytes: effects of extracellular calcium and protein kinase C (1135) 229

Park, H.-Y., see Scheidl, H. (1135) 295

Patel, H.M., see Moghimi, S.M. (1135) 269

Pelech, S.L., see Sanghera, J.S. (1135) 335

Peters, T.J., see Raja, K.B. (1135) 141

Peterson, S.L. and Stevenson, P.M.

Changes in catalase activity and concentration during ovarian development and differentiation (1135) 207

Piacentini, M., Cerù, M.P., Dini, L., Di Rao, M., Piredda, L., Thomazy, V., Davies, P.J.A. and Fesus, L.

In vivo and in vitro induction of 'tissue' transglutaminase in rat hepatocytes by retinoic acid (1135) 171

Piredda, L., see Piacentini, M. (1135) 171

Poliks, C.F., see Fine, A. (1135) 67

Poloczek, P., see Delporte, C. (1135) 323 Purushotham, K.R., see Lee, S.-W. (1135) 115

Qian, Z.M. and Morgan, E.H.

Changes in the uptake of transferrin-free and transferrin-bound iron during reticulocyte maturation in vivo and in vitro (1135) 35

Radda, G.K., see Murphy, E.J. (1135) 27

Rae, M.G., Rotondo, D. and Dutta-Roy, A.K.

Regulation of prostaglandin E₂ binding to a murine macrophage cell line, P388D₁, by insulin (1135) 343

Rahman, S., Bunning, R.A.D., Dobson, P.R.M., Evans, D.B., Chapman, K., Jones, T.H., Brown, B.L. and Russell, R.G.G. Bradykinin stimulates the production of prostaglandin E₂ and interleukin-6 in human osteoblast-like cells (1135) 97

Raja, K.B., Simpson, R.J. and Peters, T.J.

Investigation of a role for reduction in ferric iron uptake by mouse duodenum (1135) 141

Rajagopalan, B., see Murphy, E.J. (1135) 27

Randle, P.J., see Stace, P.B. (1135) 201

Raufman, J.-P.

Actions of phorbol esters on levels of cAMP in cholera toxintreated chief cells from guinea pig stomach (1135) 61

Richardson, D.R., see St. Pierre, T.G. (1135) 154

Ridderstråle, M., see Langin, D. (1135) 349

Ries, E.A., see Harnadek, G.J. (1135) 280

Robinson, H.C., see Curtis, A.J. (1135) 309

Robles-Flores, M., see García-Sáinz, J.A. (1135) 221

Rorison, C.J., see Murphy, E.J. (1135) 27

Rossi, E., Attwood, P.V. and Garcia-Webb, P.

Inhibition of human lymphocyte coproporphyrinogen oxidase activity by metals, bilirubin and haemin (1135) 262

Rotondo, D., see Rae, M.G. (1135) 343

Rowlands, C.C., see Jackson, S.K. (1135) 165

Russell, R.G.G., see Rahman, S. (1135) 97

Ruth, P., see Hofmann, F. (1135) 51

Saji, S., see Osada, S. (1135) 229

Sampson, P.H., see Scheidl, H. (1135) 295

Sanghera, J.S., Hall, F.L., Warburton, D., Campbell, D. and Pelech,

Identification of epidermal growth factor Thr-669 phosphorylation site peptide kinases as distinct MAP kinases and p34^{cdc2} (1135) 335

Sarkar, B., see Mas, A. (1135) 123

Scheidl, H., Scita, G., Sampson, P.H., Park, H.-Y. and Wolf, G.

The effect of sphingosine and phorbol ester on the signal transduction enzymes and fibronectin release in cell culture (1135) 295

Schlessinger, J., see Jaye, M. (1135) 185

Schoen, C.D., see Schulkes, C.C.G.M. (1135) 73

Schulkes, C.C.G.M., Schoen, C.D., Arents, J.C. and Van Driel, R. A soluble factor and GTPγS are required for *Dictyostelium discoideum* guanylate cyclase activity (1135) 73

Scita, G., see Scheidl, H. (1135) 295

Serezhenkov, V.A., see Vanin, A.F. (1135) 275

Shatskaya, V.A., see Krasil'nikov, M.A. (1135) 91

Simmons, N.L., see McEwan, G.T.A. (1135) 180

Simonneaux, G., see Bondon, A. (1135) 19

Simpson, R.J., see Raja, K.B. (1135) 141

Smith, B.D., see Fine, A. (1135) 67

Stace, P.B., Fatania, H.R., Jackson, A., Kerbey, A.L. and Randle, P.J.

Cyclic AMP and free fatty acids in the longer-term regulation of pyruvate dehydrogenase kinase in rat soleus muscle (1135) 201

Stevenson, P.M., see Peterson, S.L. (1135) 207

St. Pierre, T.G., Richardson, D.R., Baker, E. and Webb, J.

A low-spin iron complex in human melanoma and rat hepatoma cells and a high-spin iron(II) complex in rat hepatoma cells (1135) 154

Suga, T., see Watanabe, T. (1135) 84

Sugino, H., see Nakamura, T. (1135) 103

Sugino, K., see Nakamura, T. (1135) 103

Sukhomlin, T.K., Melikhova, E.M., Kurochkin, I.N. and Varfolomeev, S.D.

Receptor binding on whole cells can oscillate (1135) 226

Taniguchi, T., see Tomoda, T. (1135) 79

Tastenov, M., see Delporte, C. (1135) 323

Thomazy, V., see Piacentini, M. (1135) 171

Tiffoche, C., see Bondon, A. (1135) 19

Titani, K., see Nakamura, T. (1135) 103

Tomoda, T., Kurashige, T. and Taniguchi, T.

Inhibition of interferon- γ - and phorbol ester-induced HLA-DR and interleukin-1 production by the expression of a transfected poly(ADP-ribose) synthetase gene in human leukemia THP-1 cells (1135) 79

Torres-Márquez, M.E., see García-Sáinz, J.A. (1135) 221

Tse, D.G., see Harnadek, G.J. (1135) 280

Tsujioka, K., see Hatayama, T. (1135) 253

Van de Werve, G., see García-Sáinz, J.A. (1135) 221

Van Driel, R., see Schulkes, C.C.G.M. (1135) 73

Vanin, A.F., Men'shikov, G.B., Moroz, I.A., Mordvintcev, P.I., Serezhenkov, V.A. and Burbaev, D.S.

The source of non-heme iron that binds nitric oxide in cultivated macrophages (1135) 275

Varfolomeev, S.D., see Sukhomlin, T.K. (1135) 226

Vijayagopal, P., Ciolino, H.P. and Berenson, G.S.

Endothelial cell-conditioned medium modulates the synthesis and structure of proteoglycans in vascular smooth muscle cells (1135) 129

Waelbroeck, M., see Delporte, C. (1135) 323

Wakatsuki, T., see Hatayama, T. (1135) 253

Walzog, B., see Nigam, S. (1135) 301

Warburton, D., see Sanghera, J.S. (1135) 335 Watanabe, T., Okawa, S., Itoga, H., Imanaka, T. and Suga, T.

Involvement of calmodulin- and protein kinase C-related mechanism in an induction process of peroxisomal fatty acid oxidation-related enzymes by hypolipidemic peroxisome proliferators (1135) 84

Webb, J., see St. Pierre, T.G. (1135) 154

Winand, J., see Delporte, C. (1135) 323

Wolf, B.A., see Konrad, R.J. (1135) 215

Wolf, G., see Scheidl, H. (1135) 295

Yoshida, L.S., Chiba, T. and Kakinuma, K.

Determination of flavin contents in neutrophils by a sensitive chemiluminescence assay: evidence for no translocation of flavo-proteins from the cytosol to the membrane upon cell stimulation (1135) 245

Zelles, T., see Lee, S.-W. (1135) 115

Zhan, X., see Fine, A. (1135) 67

Ziegler, I., Borchert, M., Heaney, F., Davis, A.P. and Boyle, P.H. Structural requirements for the modulatory effect of 6-substituted pterins on interleukin 2 receptor binding (1135) 330

